(ग) और (घ) समीक्षा के दौरान पाया गया था कि बैंकों द्वारा ऋण आवेदनों के निपटान में विलम्ब तथा बड़ी मात्रा में ऋण आवेदनों को रद्द करने जैसे कुछेक पहलुओं के कारण शहरी लघु उद्योग योजना (एस॰यू॰एम॰ई॰)के तहत कार्य निष्पादन संतोषजनक नहीं था। इसके अतिरिक्त, आवास तथा आश्रय सुधार योजना (एस॰एच॰ए॰एस॰यू॰) के तहत अनुमानत: इस तथ्य के कारण कोई प्रगति नहीं हुई कि राज्य सरकार धनराशि का उपयोग भूमि विकास पर करना चाहती थी। चूंकि योजना के तहत ऐसा करने की अनुमति नहीं है इस लिए राज्य सरकार को आवश्यक स्पष्टीकरण दिए गए। इसके अतिरिक्त राज्य सरकार ने न तो अनुमोदित योजनाओं के लिए गारन्टी दी है और न ही अनुमोदन के बाद की औपचारिकताएं पूरी की हैं।

(ङ) राज्य सरकार ने योजना के प्रारम्भ से लेकर (31.3.1994 तक) 3783.49 लाख रुपये की धनराशि खर्च की बतायी है।

(च) कार्यान्वयन एजेंसियों के सामने आने वाली कठिनाइयों को राज्य स्तर की बैंकर समिति (एस॰एल॰बी॰सी॰) की आवर्ती बैठकों के माध्यम से हल किया जाता है तथा मामले को यथावश्यक रिजर्व बैंक आफ इण्डिया के साथ भी उठाया जाता है। ऋण आवेदनों पर निर्बाध कार्रवाई और शीघ्र निपटान सुनिश्चित करने के लिए हाल ही में लाभार्थियों की पहचान करने के लिए राज्य सरकारों से नगर स्तर पर कार्यदल गठित करने के लिए कहा गया है जिसमें सदस्यों के रूप में बैंकों के प्रतिनिधि शामिल होंगे।

Water Requirement of Bombay

4361 SMT. CHANDRIKA ABHINANDAN JAIN: Will the Minister of URBAN DEVELOPMENT be pleased to state;

(a) what is the per day water requirement of the city of Bombay as on date;

(b) what are the various sources of supply of water to Bombay and the extent thereof;

(c) what measures are contemplated by Government to meet the present and future water requirement of Bombay;

(d) by when the second phase of water plant is likely to be established near Bombay; and

(e) what are the details in this regard?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI P. K. THUNGON): (a) As informed by the Municipal Corporation of Greater Bombay, the per day water requirement at present is 3650 MLD. (Million Litres per Day).

(b) The various sources supplying water to Greater Bombay and the extent of supply from these sources are as follows:—

1. Upper Vaitarna & Lower Vaitarna	—	986 MLD
2. Tansa	—	421 MLD
3. Bhatsa	—	1001 MLD
4. Vihar	—	50 MLD
5. Tulsi	—	17 MLD

(c) As informed by the MCGB for meeting the further water requirements of Bombay, the next immediate source of development after completion of Bombay III Water Supply Projects is Middle Vaitarna Source. The other sources indentified are Gargai, Pinjal, Kalu and Shai. The State Government (GOM) has allocated Middle Vaitarna, Gargai and Pinjal source to MCGB for augmenting water supply to Greater Bombay.

(d) and (e) The second phase of the project has already been completed. However, the ongoing water supply project known as Bombay III is expected to be completed by June, 1996 when further 455 MLD supply of water is expected to be available from Bhatsa source. On completion of Bombay III project the water supply to Greater Bombay is expected to be 2930 MLD. Under Bombay III water supply project, a water treatment plant of 455 MLD capacity is being constructed at Panjrapur near Bombay. The work is expected to be completed by June, 1996.

National Capital Region

4362. SHRI GOVINDRAO ADIK: Will the Minister of URBAN DEVELOPMENT be pleased to state:

(a) what is the requisite finance earmarked by the concerned Central Ministries (namely Railways, Surface Transport & Telecommunications) for implementation of NCR Scheme included in the Central Sector for Eighth Five Year Plan;

(b) what is the share which has already been contributed by the concerned Central Ministries to NCR Planning Board and the amount which